RECEIVED

Application Serial No. 10/066,501 Reply to Office Action of May 1, 2003

OCT 1 6 2003

Patent Attorney Docket No. CU-2826

Amdr 8/17

Group 3700

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application:

Louis BIGO et al.

GRP ART UNIT: 3745

Serial No:

10/066,361

Ex.: Lopez, Frank D.

Filed:

January 31, 2002

For:

A REPLENISHING DEVICE FOR A CLOSED CIRCUIT

Certification under 37 C.F.R. §1.8(a)

I hereby certify that this paper (along with any paper referred to as being attached or enclosed) is being deposited with The United States Postal Service with sufficient postage as first class mail in an envelope addressed to The Commissioner for Patents, P.O. Box 1450 Alexandria, VA 22313-1450 on October 1, 2003.

AMENDMENT UNDER 37 CFR 1.111

Commissioner for Patents P.O. Box 1450 Alexandria VA 22313-1450

Sir:

In response to the Office Action dated May 1, 2003, setting a 3-month shortened statutory period for a reply ending on August 1, 2003, Applicants submit the following responsive amendment in the above-identified application. This amendment is considered to place the application in better condition for allowance.

Also enclosed is the Request for Two-Month Extension of Time (thereby extending the due date from August 1, 2003 to October 1, 2003), and the Commissioner is authorized to harge \$410.00 to Deposit Account No. 12-0400 to cover the fee for the extension. No other fee believed to be required, but, if this is not the case, please charge any additional fee or credit and overpayment to the same Deposit Account No. 12-0400.

Amendments to the Specification begin on page 3 of this paper.

Amendments to the Claims are reflected in the listing of claims, which begins on page 8 of this paper.

Amendment to the Drawings begin on page 20 of this paper and include both an attached replacement sheet and an annotated sheet showing changes.

Remarks/Arguments begin on page 21 of this paper.

An **Appendix** including amended drawing figures is attached following the last page of this paper.